# systemtronic datasheet CONEE POUF




# General description:

Upholstered pouf with a conical design. All models in the Conee family include wheels.

Designer: Víctor Carrasco.

Year of launch: 2015.




# **Conee P technical description:**

<u>Function:</u> Pouf.

Material: Wood structure upholstered in imitation synthetic leather with 5 wheels 35 mm in diameter.

<u>Dimensions:</u> Ø550x Ø380x440 mm





mm · inches

	casters		
	Ømm	Number of casters per conee	Load capacity of the casters (kg)
Conee P	35	5	45

Maximum load capacity of each conee (kg)		
225		

# Finishes:



Consult for special dimensions or any other modification.



### Maintenance:

# -Synthetic leather:

Proper care and maintenance is vital to maintain your synthetic leather furniture in prime condition. Do not place near direct heat sources (radiators, fireplaces, etc.)

For regular maintenance, dust periodically with a soft cloth or vacuum cleaner brush. If necessary, wipe with a dampened soft cloth or sponge. For spills, blot excess liquid immediately with a damp sponge until complete removal. Wipe the entire area around the stain with a damp sponge without rubbing the surface.

Solvents or alcohol must be avoided, as they can alter the appearance of leather permanently. For tough stains, use specific leather cleaning products and follow the instructions.

Surrounding area should then also be wiped with a slightly damp sponge: never rub too hard.

Never use solvents or alcohol which alter the appearance of the leather permanently.

In the event of particularly stubborn stains, use synthetic leather cleaning products.

# TECHNICAL SPECIFICATIONS VINYL



### FLAME RETARDANCY 1

EU: EN 1021 Part 1 & 2 UK: BS 5852 Part 2 CRIB 5 2

US: FMVSS 302 US: FAR 25/853

### **FINISHES AND TREATMENTS**

PERMABLOK3® Anti-stain Finish

>300.000 cycles Martindale (EN ISO 12947:1999 Part 2)

Cold Crack -23°C

Mildew resistant backing and face

UV-Resistance XENOTEST DIN 54004/ NTC 1479

Sulfide Stain Resistant

Anti-static Finish

1

This term and any corresponding data refer to the typical performance in the specific tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

2

Available only in selected colors



Hi-Loft<sup>2</sup>TM is a specialty knitted textile manufactured with 100% polyester yarns aimed at creating a backing with bulk, strength, and unusual softness. When combined with a vinyl surface, an extremely soft hand quality is achieved without sacrificing product performance. (Adhesion, tear strength, and stretch strength properties are also improved.)

## PROTECTION AGAINST GERMS, ABRASIONS, AND STAINS

A vinyl protective coating engineered to create a tough, effective barrier against the three biggest problems encountered in healthcare and hospitality environments: germs, abrasions and stains. You can't see it or feel it, yet the protection it offers results in extended performance and lasting beauty with a minimum of care.



### SUPERIOR ANTIBACTERIAL PROTECTION

PERMABLOK3® results in a more hygienic environment because germ counts can be kept down. Importantly, it also guards against the surface growth of fungus, mold, and mildew spores which can cause unpleasant odors, unsightly pink and black stains, even allergic reactions. This means that vinyl treated with PERMABLOK3® not only keeps its good looks, but also remains highly resistant to deterioration such as cracking, splitting, and loss of flexibility. So from any standpoint, hygienic, cosmetic, or structural, PERMABLOK3® offers superior bacterial protection that healthcare and hospitality industries can really count on.

### SUPERIOR ANTI-STAIN PROTECTION

When caught quickly, most everyday stains like grease, blood, suntan lotion, crayon, ketchup, and black felt tip pens can be wiped right off vinyl treated with PERMABLOK3®. Just use mild soap and water. For more stubborn stains, a variety of concentrated and solvent type cleansers may be used without damaging the surface. These include alcohol, naphtha, and bleach. (Abrasive household cleansers and steel wool should be avoided - see the Care and Cleaning guide for complete instructions.)



# TECHNICAL SPECIFICATIONS VINYL



# SUPERIOR ANTIFUNGAL PROTECTION

PERMABLOK3® offers unsurpassed antifungal protection by resisting gram positive and gram negative bacteria, filamentous fungi, and yeast

### **Gram Positive Gram Negative** Enterobacter aerogenes Bacillus cereus Bacillus mycoides Escherichia coli Bacillus subtilis Klebsiella pneumoniae Morganella morgani Enterococcus faecalis Listeria welshimeri Proteus mirabilis Nocardia asteroides Proteus vulgaris Pseudomonas aeruginosa Staphylococcus aureus

Filamentous Fungi
Aspergillus niger
Microsporum canis
Penicillium ochro-chloron
Scopulariopsis brevicaulis
Trichophyton mentagrophytes
Trichophyton rubrum

**Yeast** Candida albicans

# Sustainability:

The used paints do not contain solvents, do not consume water and do not generate emissions or waste. The result is a lower environmental impact.

Salmonella choleraesui