

systemtronic  
datasheet S05



General description:


Adjustable CPU support made of square tube of cold rolled steel of 1.2mm thickness and polyamide wheels of 48mm diameter without brakes.  
Adjustable width between 130 and 210mm.  
The metal structures are coated with pigmented epoxy paint at 185°C



Technical description:

Material: 1.2mm thick cold rolled metal.



S05



surface (mm)	height (mm)	maximum load (kg)
adjustable width min 130 - max 230	90	30

mm · inches

Finishes:

	
gray gloss RAL 7035	satin black RAL 9011
*Polyester paint	

Consult for special dimensions or any other modification.

Maintenance:-Polyester Paint:

For dry dirt (dust), use a damp cloth. For greasy/oily stains (fingerprints), wipe with a sponge with water and dishwashing liquid. Rinse with a damp cloth. Avoid using products containing solvents and/or pure ethyl alcohol.

-Aluminium-metal-glass-melamine-plastic:

We recommend using normal cleaning products for delicate surfaces. Alcohol, solvents and abrasive agents must be avoided.

Sustainability:

The used paints do not contain solvents, do not consume water and do not generate emissions or waste. The result is a lower environmental impact.

systemtronic \_ s05

www.st-systemtronic.com

nacional@st-systemtronic.com · export@st-systemtronic.com

tel. 96-1852784 · fax.34-961854482

ASSOCIATED N°00320

**AIDIMME**  
INSTITUTO TECNOLÓGICO

METALMECÁNICO, MUEBLE, MADERA, EMBALAJE Y AFINES



Calidad Controlada